








NOTE


- +5 : VCC(+5V)
- +12 : VCC(+12V)
- ⊥ : GND
- JAMMA : JAMMA EDGE 56P
- PIN NO.
- ALPHABET: SOLDER SIDE
- NUMBER: PARTS SIDE
- /A/: SMALL LETTER
- CN1 : 4P SV CONNECTOR
- CN2 : 6P VH CONNECTOR
- CN3 : 15P NH CONNECTOR
- CN4 : 15P NH CONNECTOR
- CN5 : 64P DIN CONNECTOR
- CN6 : 64P DIN CONNECTOR
- CN7 : 64P DIN CONNECTOR
- CN8 : 64P DIN CONNECTOR


KINDS OF CAPACITOR

- T : TANTALUM
- M : MYLAR
- E : ELECTROLYTIC
- C : CERAMIC

KONAMI				KONAMI INDUSTRY CO., LTD.				REG. TYPE	SCHEMATIC DIAGRAM	
DESIGN	DRAW	CHECK	APPROVE	01	RELEASE DATE	88.5.16	NAME	GX799/GX890 PWB351024A		
				SCALE		TOLE-RANCE	A1	CODE NO.	100098 1/3	







NOTE

- +5 : VCC(+5V)
- +12 : VCC(+12V)
- ⊥ : GND
- JAMMA : JAMMA EDGE 56P
- PIN NO.
- ALPHABET: SOLDER SIDE
- NUMBER: PARTS SIDE
- /A/: SMALL LETTER
- CN1 : 4P SV CONNECTOR
- CN2 : 6P VH CONNECTOR
- CN3 : 15P NH CONNECTOR
- CN4 : 15P NH CONNECTOR
- CN5 : 64P DIN CONNECTOR
- CN6 : 64P DIN CONNECTOR
- CN7 : 64P DIN CONNECTOR
- CN8 : 64P DIN CONNECTOR

KINDS OF CAPACITOR

- T : TANTALUM
- M : MYLAR
- E : ELECTROLYTIC
- C : CERAMIC

MAIN EVENT

KONAMI				KONAMI INDUSTRY CO.,LTD.				REG. TYPE	SCHEMATIC DIAGRAM	
DESIGN	DRAW	CHECK	APPROVE	03	RELEASE DATE	88.5.16	NAME	GX799/GX890		
				SCALE	:	TOLERANCE	A1	CODE NO.	100098 3/3	