

1st PRINTING JULY 99

www.seuservice.com

SEGA

BRAVE FIREFIGHTERS™

REAL LIFE HEROES

DLX VERSION


OWNER'S MANUAL

ADDENDUM



SEGA ENTERPRISES, INC. USA

MANUAL NO. 4201-6478



VISIT OUR WEBSITE!

The screenshot shows a web browser window with the address bar containing <http://www.seuservice.com/>. The browser interface includes navigation buttons (Back, Forward, Refresh, Stop, Home, Sherlock, Preferences, Larger, Smaller, Stop) and a search bar. The website content features the 'SEGA SERVICE' logo in a stylized blue font. To the left of the logo is a portrait of a man with the text 'Ask Dave!' below it. A vertical sidebar on the left contains a 'SEGA SERVICE' logo and a list of links: 'what's new', 'manuals', 'bulletins', 'assemblies', 'Search', 'bulletin Sign-up', 'register game', 'staff', 'Darl's Office', 'tech. service', 'warranty policy', 'corporate info', 'home page', 'future technologies', 'plug-ins', and 'non-framed page'. Below these links is contact information for Sega Enterprises Inc., USA, including a phone number (415.701.6580) and a fax number (415.701.6594). To the right of the 'Ask Dave!' text is a list of site features: 'Bulletins', 'Darl's Office', 'Game Manuals', 'Search', and 'What's New'. A counter indicates that 5564 people have visited the page since 3/16/01. Below the counter is a message: 'If you have any questions or comments about this site please E-Mail to Darl.Davidson@seu.sega.com'. A banner at the bottom of the page states 'THIS WEB SITE POWERED BY WebSTAR 4.3 Mac OS'. Below the banner is a list of links: '[what's new][manuals][bulletins][assemblies][Search][staff][Darl's office][technical service][customer service][corporate info][plugins][Non-framed page]'. At the bottom, a message says 'You will need the following items to view this page in its entirety.' followed by logos for 'Get Acrobat Reader' (All Platforms), 'GET Microsoft Internet Explorer' (Windows), and 'GET Microsoft Internet Explorer' (Macintosh). The browser's status bar at the bottom left shows 'Internet zone'.

HOW TO USE THIS ADDENDUM BOOKLET



IMPORTANT!

This booklet is designed to be used with the original service manual issued with this game. It contains modifications to both the wiring diagrams and parts assemblies detailed within the Parts Lists section of your service manual.




WARNING!

THE SHIPMENT METHOD DESCRIBED BELOW ONLY APPLIES TO 'MODEL 3/or NAOMI' BOARDS CONTAINED IN THE FOLLOWING GAMES:

LOST WORLD, VIRTUA FIGHTER 3, SUPER GT, SEGA BASS FISHING, STRIKER 2 HARLEY DAVIDSON, RALLY 2, DAYTONA 2, DIRT DEVILS, STARWARS TRILOGY, BRAVE FIRE FIGHTERS, ZOMBIE'S REVENGE, WORLD SERIES 99'

!!NEVER SHIP MODEL 3 GAME BOARDS OUTSIDE OF CAGE!!




CARTON BOX

601-8928 (1)

Used for transporting the GAME BOARD.

{ SUPPLIED WITH YOUR GAME }

DO NOT SHIP GAME BOARD WITHOUT THIS BOX AS IT MAY DAMAGE THE GAME BOARD AND VOID YOUR WARRANTY.



WARNING!

NO OTHER GAMES BOARDS ARE TO BE SHIPPED IN THE CAGE AS THEY MAY BE DAMAGED BEYOND REPAIR. PLEASE SHIP THEM WITHOUT CAGE PROPERLY PROTECTED DURING SHIPPING.

General Precautions

Follow Instructions: All operating and use instructions should be followed.

Attachments: Do not use attachments not recommended by the product manufacturer as they may cause hazards.

Accessories: Do not place this product on an unstable cart, stand, tripod, bracket, or table. The product may fall, causing serious injury to a child or adult, and serious damage to the product. Use only with a cart, stand, tripod, bracket, or table recommended by the manufacturer, or sold with the product. Any mounting of the product should follow the manufacturer's instructions, and should use only mounting accessories recommended by the manufacturer.

Moving the Product: This product should be moved with care. Quick stops, excessive force, and uneven surfaces may cause the product to overturn.

Ventilation: Slots and openings in the cabinet are provided for ventilation, to ensure reliable operation of the product and to protect it from overheating; these openings must not be blocked or covered. The openings should never be blocked by placing the product in a built-in installation such as a bookcase or rack unless proper ventilation is provided or the manufacturer's instructions have been adhered to.

Power Sources: This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply to your location, consult your local power company. For products intended to operate from battery power or other sources, refer to the operating instructions.

Grounding or Polarization: This product is equipped with a three-wire grounding-type plug, a plug having a third (grounding) pin. This plug will only fit into a grounding-type power outlet. This is a safety feature. If you are unable to insert the plug into the outlet, contact your electrician to replace your obsolete outlet. Do not defeat the safety purpose of the grounding-type plug.

Power Cord Protection: Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenience receptacles, and the point where they exit from the product.

Overloading: Do not overload wall outlets, extension cords, or integral convenience receptacles as this can result in a risk of fire or electric shock.

Object and Liquid Entry: Never push objects of any kind into this product through openings as they may touch dangerous voltage points or short-out parts that could result in a fire or electric shock. Never spill liquid of any kind on the product.

Servicing: Do not attempt to service this product yourself as opening or removing covers may expose you to dangerous voltage or other hazards. Refer all servicing to qualified service personnel.

Damage Requiring Service: Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions:

- a) If the power cord or plug is damaged;
- b) If liquid has been spilled, or objects have fallen into the product;
- c) If the product has been exposed to rain or water;
- d) If the product does not operate normally when following the operating instructions. Adjust only those controls that are explained in the operating instructions. An improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to its normal operation;
- e) If the product has been dropped or damaged in any way;
- f) When the product exhibits a distinct change in performance; this indicates a need for service.

Replacement Parts: When replacement parts are required, be sure the service technician has used replacements parts specified by the manufacturer or that have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, or other hazards.

Safety Check: Upon completion of any service or repairs to this product, ask the service technician to perform safety checks to determine that the product is in proper operating condition.

Heat: The product should be situated away from heat sources such as radiators, heat registers, stoves, or other products (including amplifiers) that produce heat.

Lithium Battery- Dispose of batteries only in accordance with the battery manufacturer's recommendations. Do not dispose in an open flame condition, since the battery may explode.

Cleaning: When cleaning the monitor glass, use water or glass cleaner and a soft cloth. Do not apply chemicals such as benzine, thinner, etc.

Location: This an indoor game machine, DO NOT install it outside. To ensure proper usage, avoid installing indoors in the places mentioned below:

- Places subject to rain/water leakage, or condensation due to humidity;
- In close proximity to a potential wet area;
- Locations receiving direct sunlight;
- Places close to heating units or hot air;
- In the vicinity of highly inflammable/volatile chemicals or hazardous matter;
- On sloped surfaces;
- In the vicinity of emergency response facilities such as fire exits and fire extinguishers;
- Places subject to any type of violent impact;
- Dusty places.

INSTALLATION PRECAUTIONS

- Verify the amperage of the branch circuit outlet before plugging in the power plug. Do not overload the circuit.
- Avoid using an extension cord. If one is required, use an extension cord of type SJT, 16/3 AWG rated min. 120 VAC, 7A.
- Moving this unit requires a minimum clearance (of doors, etc.) of 32" (W) by 77" (H).
- For the operation of this machine, secure a minimum area of 32" (W) by 42"(D).

REGULATORY APPROVALS

This game has been tested and found to comply with the Federal Communications Commission Rules.


This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This game has been tested and listed by Underwriters Laboratories, Inc., to ANSI/UL22.



PARTS LIST MODIFICATIONS


ASSY BILLBOARD (FRQ1-1200)



ASSY BILLBOARD (FRQ1-1200)

ITEM NO.	PART NO.	DESCRIPTION
1	FRQ1-1250	LAMP UNIT
2	FRQ-1201	BILLBOARD BOX
3	FRQ-1202X	BILLBOARD LID
4	FRQ-1203	BILLBOARD PLATE
5	FRQ-1204	LAMP COVER
6	FRQ-1205	FL COVER
7	FRQ-1206	MIRROR A
8	FRQ-1207	MIRROR B
9	FRQ-1208	MIRROR C
10	FRQ-1209	SASH
11	FRQ-1210	STICKER BILL L
12	FRQ-1211	STICKER BILL R
13	LOCAL PURCHASE	FL HOLDER-RAPID START BALLAST
102	LOCAL PURCHASE	ASSY FL20W 24" FLUORESCENT
201	000-T00410-OC	M SCR TH CRM M4X10
202	000-P00412-W	M SCR PH W/FS M4X12
203	000-P00425-W	M SC RPH W/FS M4X25
204	050-H00400	HEX NUT M4
205	060-S00400	SPR WSHR M4
206	060-F00400	FLT WSHR M4

LAMP UNIT (FRQ1-1250)



ITEM NO.	PART NO.	DESCRIPTION
1	FRQ-1251	UNIT BRKT
101	LOCAL PURCHASE	PAT LAMP CLEAR TRI-LITE, MODEL MV110 (#25T8DC)
201	050-U00800	U NUT M8
202	060-F00800	FLT WSHR M8

Warranty

Your new Sega Product is covered for a period of 90 days from the date of shipment. This certifies that the Printed Circuit Boards, Power Supplies and Monitor are to be free of defects in workmanship or materials under normal operating conditions. This also certifies that all Interactive Control Assemblies are to be free from defects in workmanship and materials under normal operating conditions. No other product in this machine is hereby covered.

Sellers sole liability in the event a warranted part described above fails shall be, at its option, to replace or repair the defective part during the warranty period. For Warranty claims, contact your Sega Distributor.

Should the Seller determine, by inspection that the product was caused by Accident, Misuse, Neglect, Alteration, Improper Repair, Installation or Testing, the warranty offered will be null and void.

Under no circumstances is the Seller responsible for any loss of profits, loss of use, or other damages.

This shall be the exclusive written Warranty of the original purchaser expressed in lieu of all other warranties expressed or implied. Under no circumstance shall it extend beyond the period of time listed above.



SEGA ENTERPRISES, INC. (USA)

45133 Industrial Drive
Fremont, CA 94538
(415) 701-6580 phone
(415) 701-6594 fax